

main

section#vraag\_1

#result

aside


progress

h1 translate: "the egg"

form

figure

svg



label input [type=radio] ei

label input [type=radio] la

div

input [type=text] Type the word in Spanish

footer

input [type=submit] CHECK

HTMLcode:

```

<body>
  <main>

    <!-- vraag 1 -->
    <section id="vraag_1">
      <aside>
        <div id="result"></div>
        <div class="hearts">&hearts;&hearts;&hearts;&hearts;</div>
      </aside>

      <progress value="1" max="5"></progress>

      <h1>Translate: "the egg"</h1><br>

      <form id="vraag1" method="post" action="vraag_2.html">
        <figure></figure>

        <div>
          <label><input type="radio" name="vraag1" value="ei" >
            ei</label>
          <label><input type="radio" name="vraag1" value="ij"> ij
            </label>
        </div>

        <footer>
          <input type="submit" value="Check Answer"
            name="controleer">
        </footer>

      </form>

    </section>
  
```



Which of these is these is...

the kitchen



la sartén



la ventana



el dormitorio



la cocina

CHECK

### HTML-code:

```
<body>
  <main>
    <!-- vraag 2 -->
    <section id="vraag_2">
      <aside>
        <div id="result2"></div>
        <div class="hearts">&hearts;&hearts;&hearts;&hearts;</div>
      </aside>
      <progress value="2" max="5"></progress>

      <h1>Which of these is the kitchen?</h1><br>

      <form id="vraag2" method="post" action="vraag_3.html">

        <div>
          <label><input type="radio" name="vraag2" value="pan" >
            </label>
          <label><input type="radio" name="vraag2"
            value="kitchen"></label>
          <label><input type="radio" name="vraag2"
            value="slaapkamer" >
            </label>
          <label><input type="radio" name="vraag2" value="raam">
            </label>
        </div>

        <footer>
          <input type="submit" value="Check Answer"
            name="controleer2">
        </footer>

      </form>

    </section>
```



Hasta pronto

Select all the correct translations

"Bye"

Hasta mañana!

Hasta pronto!

Hasta la próxima

Adiós

Hasta la demaños

Hasta luego

CHECK

### HTML-code:

```
<body>
  <main>
    <!-- vraag 3 -->
    <section id="vraag_3">
      <aside>
        <div id="result3"></div>
        <div class="hearts">&hearts;&hearts;&hearts;</div>
      </aside>
      <progress value="3" max="5"></progress>

      <h1>Select all of the correct translation of "Bye"?</h1><br/>

      <form id="vraag3" method="post" action="vraag_4.html">

        <div>
          <label><input type="checkbox" name="vraag3"
            value="Adiós">Adiós</label>
          <label><input type="checkbox" name="vraag3"
            value="Hasta pronto" >Hasta pronto</label>
          <label><input type="checkbox" name="vraag3"
            value="Hasta manana"> Hasta manana</label>
          <label><input type="checkbox" name="vraag3"
            value="Hasta luego"> Hasta luego</label>
          <label><input type="checkbox" name="vraag3"
            value="Hasta la proxima"> Hasta la proxima</label>
        </div>

        <footer>
          <input type="submit" value="Check Answer"
            name="controleer3">
        </footer>

      </form>
    </section>
  </main>
</body>
```

Score: 3 

Het woord "cocina" staat voor? Sleep het juiste antwoord in de dropzone.



Check Answer

```

<body>
  <main>
    <!-- vraag 4 -->
    <section id="vraag_4">
      <aside>
        <div id="result4"></div>
        <div class="hearts">&hearts;</div>
      </aside>
      <progress value="4" max="5"></progress>
      <h1>Het woord "cocina" staat voor? Sleep het juiste antwoord in de dropzone.
      </h1>
      <form id="vraag4" method="post" action="vraag_5.html">

        <div id="drag" ondrop="drop(event)"
        ondragover="allowDrop(event)">
          
          
          
          
        </div>
        <div id="drop" ondrop="drop(event)"
        ondragover="allowDrop(event)"></div>

        <footer>
          <input type="submit" value="Check Answer"
          name="controleer4">
        </footer>
      </form>
    </section>

    <!-- eindresultaat -->
    <section id="resultaat" style="display: none">
      <div id="result5"></div>
    </section>

  </main>
</body>

```



```
<body>
  <main>
    <!-- vraag 5 -->
    <section id="vraag_5">
      <aside>
        <div id="result5"></div>
        <div class="hearts"></div>
      </aside>
      <progress value="5" max="5"></progress>

      <h1>Hier komt je 5de vraag?</h1>

      <form id="vraag5" method="post" action="resultaat.html">

        <div>
          Plaat hier nog een vraag. Je kan kiezen uit een vraag met
          radiobuttons, checkbox of nog een drag & drop oefening.
        </div>


        <footer>
          <input type="submit" value="Check Answer"
            name="controleer5">
        </footer>
      </form>
    </section>

    <!-- eindresultaat -->
    <section id="resultaat">
      <div id="result6"></div>
    </section>

  </main>
</body>
```

# Score

...



Opnieuw



```
<body>
  <main>
    <!-- resultaat -->

    <section id="resultaat">
      <div id="result6">Je score is: </div>

      <div id="goed">Hier komt een afbeelding als de score > 3/ 5
      bv. dikke duim</div>

      <div id="slecht">Hier komt een afbeelding als de score < 3
      bv. verdrietige smiley</div>

      <button><a href="vraag_1.html">Speel opnieuw!</button>

    </section>

  </main>
</body>
```

Voorzie hier zelf mooi opmaak voor in je opmaak.css.